
LOUISIANA WEEKLY CLIMATE SUMMARY

Volume 2, Issue 44


October 28 – November 03, 2026




** PROVISIONAL DATA*


Louisiana Office of State Climatology
Louisiana State University
lastateclimate@lsu.edu
225-578-6870


7-Day Accumulated Rainfall & Average Temperatures: 28 Oct - 03 Nov 2026






- the 7-day period began with high pressure in control, centered to the east; a surface trough moved through the state from Oct 31-Nov 1 and provided isolated amounts of heavy rain (pp. 5-6); a frontal passage on Nov 3 sent a line of storms through the state that were initially severe and produced the fall season's first tornadoes (p. 4)
- while isolated locations around the state dealt with excessive rains, most of the state reported below-normal 7-day totals






- temperatures were significantly above normal during the 7-day run as the Bayou State was largely under the influence of 'warm' and 'moist' southerly flow off the Gulf
- daily high temperatures remained fairly steady throughout, daily minimums started the 7-day run near-normal but warmed to near-record levels by the end of the period
- the statewide maximum was 91°F at Bunkie (C Div), reported on Nov 1; the statewide minimum was 46°F at Monroe 26 N (NC Div), recorded on Oct 29

Louisiana Office of State Climatology
Louisiana State University
lastateclimate@lsu.edu
225-578-6870







U.S. Drought Monitor (USDM): Issued November 5, 2026

- includes data thru November 3

- a surface trough moved over the state on Nov 1st, producing very isolated rain amounts estimated as high as or exceeding 15" over northern Evangeline Parish and as much as 5" to 10" in Washington Parish (pp. 5-6); a 'cold' front sent a line of storms through the state on Nov 3rd, but most of Louisiana missed out on significant drought-easing rainfall
- warmer-than-normal temperatures for the week translated into above-average evapotranspiration (ETo), keeping soil-moisture demands high for this time of year
- due to mostly dry and warm conditions, the updated weekly ***U.S. Drought Monitor*** depiction showed a significant increase in 'Exceptional' Drought' (D4) coverage across the northern and central portions of Louisiana, along with expansion of 'Extreme Drought' (D3) in northeastern LA; there were more localized improvements south of Alexandria and in eastern Washington Parish due to the heavy downpours in those areas
- as of Nov 3rd, all but four reporting LSU AgCenter parish agents reported 'Dry' or 'Very Dry' conditions in their respective parishes; a few agents did note improved conditions but a number of others noted degradations (increased moisture stress) during the period
- as of Nov 1st, the USDA noted 'Short' or 'Very Short' topsoil and subsoil conditions for 87% and 89% of the state, respectively
- as of Nov 3rd, all but 19 parishes had instituted local Burn Bans; Parish Fire Danger levels were listed as 'High' to 'Extreme' for 30 of the 50 parishes for which Fire Danger is estimated





Parish ***Burn Bans*** are issued and lifted by local designated agencies and/or officials. ***Daily Fire Danger*** maps are produced by the USDA Forest Service, the Nat'l Interagency Fire Center (NIFC) & the LDAF.

Louisiana Office of State Climatology
Louisiana State University
lastateclimate@lsu.edu
225-578-6870

Severe/Stormy Weather:


The first three days of the period were relatively "quiet," but the weather became more "active" beginning on Halloween (Oct 31) as a surface trough moved over the state and stalled before dissipating during the late afternoon of Nov 1 (p. 5). *Flash Flood Warnings* were issued by NWS/Slidell for the New Orleans area as well as a portion of eastern Washington Parish late in the afternoon on Oct 31.


After midnight on Nov 1st, NWS/Lake Charles issued *Flash Flood Warnings* for sections of Evangeline and Rapides Parishes, and later for portions of Acadia and Jeff Davis Parishes where additional pockets of heavy rain had developed. The last round of *Flash Flood Warnings* during the 7-day stretch was issued by NWS/Shreveport for parts of Bossier and Caddo Parishes in response to heavy rains associated with a Nov 3rd frontal passage. In total, 7 *Flash Flood Warnings* were issued and 20 *Local Storm Reports* of flooding were received during the period.


The fall's first severe weather event took place on Nov 3rd when a cold front entering the state from the west sent a line of storms through the state (p. 5). Initially, it was thought that the chances of severe weather would remain low; thus, no *Severe Thunderstorm* or *Tornado Watches* were issued by the NWS Storm Prediction Center for the event.

However, as the line entered the state it intensified, prompting NWS/Shreveport to post a series of *Severe Thunderstorm* and *Tornado Warnings* for portions of northwestern Louisiana, beginning late in the morning of Nov 3rd. As the line moved east, additional *Tornado Warnings* were issued for north-central portions of the state. In total, 8 *Tornado Warnings* and 6 *Severe Thunderstorm Warnings* were issued during the event.

Following the Nov 3 frontal event, NWS/Shreveport conducted damage surveys and confirmed 2 tornadoes, both as EF-0s. The first tornado of the day touched the ground just east of Oil City in Caddo Parish and traveled for approximately 1.76 miles. The only damage reported was to trees. The second tornado touched down west of Keachi in DeSoto Parish and travelled 3.38 miles before lifting, producing only light tree damage.







Tornado Reports: 28 October - 03 November 2026 *(Preliminary)*

EF Rating	Date	Time (CST)	Parish(es)	Peak Winds (mph)	Path Length (mi)	Path Width (yds)	Fatalities Injuries	Prop Dmg
EF-0	Nov 3	10:17 - 10:18 AM	Caddo	75	1.8	50	0 / 0	
EF-0	Nov 3	11:21 - 11:27 AM	DeSoto to Caddo	75	3.4	150	0 / 0	

Prop Dmg: Structural Damage

Louisiana Office of State Climatology
Louisiana State University
lastateclimate@lsu.edu
225-578-6870


Severe/Stormy Weather (cont.)***:***
A trough over the state from Oct 31 into Nov 1 was a key factor in the development of locally heavy downpours of 5.0" to 10.0"+ over the 2-day period. The trough began a slow crawl from west-to-east across Louisiana on the 31st, finally dissipating on the afternoon of the 1st.


The radar-depiction for this event (p. 6) shows the importance of incorporating remotely-sensed data with observational (rain gauge) measurements. In these cases, there were no rain gauges in the immediate vicinities of the localized flooding rains. As such, none of these downpour bullseyes would have been identified by using the gauge data alone.


As previously noted, the fall's first severe weather occurrents were associated with a 'cold' front passage on Nov 3-4. Severe storms and their associated *Warnings* were mainly limited to the northwestern and northcentral parishes, including the state's first tornadoes since an EF-0 touched-down in the Hammond area (EC Div) on Sep 7th.

The 'cold' front is credited with generating some 1.0" to 2.0" rain totals for portions of northern, central and southwestern Louisiana, but the storm energy associated with that boundary weakened over most of the southcentral and southeastern parishes, where rain totals were generally under 0.5". Indeed, a number of areas in the southeast failed to record any measurable rainfall with the frontal passage.


As for the 'cold' in cold front, minimum temperatures did dip into the 40°s and 50°s around the state following the front's passage, but those are numbers that are near-normal for this time of year.








Dense Fog:
Dense Fog Advisories were issued twice during the 7-day stretch. The first occurrence was for a few Mississippi river parishes on the morning of Oct 28th. A second, more widespread posting was issued across the NWS/Lake Charles service area in Louisiana along with a few NWS/Shreveport parishes on the morning of Nov 1st.



Louisiana Office of State Climatology
Louisiana State University
lastateclimate@lsu.edu
225-578-6870



Excessive Downpours:
Localized downpours and flooding seem to be a more frequent occurrence around Louisiana in recent months/years. This has even been the case for drought-plagued Louisiana during 2026.

While ***El Niño*** is expected to make for a wet winter and spring across most or all of the Bayou State, these localized bullseyes of Oct 31 - Nov 1 do not fit the mold of jet-stream enhanced rains that we expect to see this winter and into the spring of 2027.

The bullseye in eastern Washington Parish, where peak radar estimates reach 8.0" to 10.0", was concentrated over a 12-hour period running from approximately 2:00 PM CST on Oct 31 through 2:00 AM on Nov 1.

An even more impressive radar-estimated bullseye of 15.0" to 20.0", centered over northwestern Evangeline Parish, was largely generated in a 10-hour window beginning at 9:00 PM CST on Oct 31, with additional on-and-off brief rounds of rain extending through much of Nov 1.

Divisional and Statewide Summary: 28 Oct - 03 Nov 2026

Divisions	Avg T-Max	Avg T-Min	T-Avg (°F)	T-Avg DFN	Highest T-Max	Lowest T-Min	HDD	HDD %Norm	CDD	CDD %Norm	Total P (in.)	P-DFN (in.)	1-Day P-Max	Rain Days
Northwest	79.1	60.6	69.8	+8.8	86	52	0	0	34	309	0.83	-0.26	2.63	3
North Central	80.7	59.2	70.0	+10.5	87	46	0	0	37	370	0.25	-0.75	1.17	1
Northeast	81.6	58.9	70.2	+9.6	83	47	0	0	38	317	1.30	+0.43	1.13	2
West Central	82.6	61.4	72.0	+10.6	88	47	1	3	51	364	0.16	-0.88	0.35	2
Central	81.8	59.4	70.6	+8.7	91	47	0	0	40	286	1.11	-0.05	2.45	2
East Central	82.2	61.0	71.6	+7.9	88	48	0	0	48	267	0.11	-0.90	0.54	0
Southwest	81.6	64.7	73.1	+8.9	85	53	0	0	57	285	0.91	-0.23	2.02	3
South Central	81.1	62.6	71.8	+7.2	84	50	0	0	46	219	0.40	-0.74	0.73	2
Southeast	79.2	66.0	72.6	+5.6	83	52	0	0	55	183	1.12	+0.13	4.57	2
STATE	**81.1**	**61.5**	**71.3**	**+8.6**	**91**	**46**	**0**	**0**	**45**	**265**	**0.60**	**-0.45**	**4.57**	**2**

T - Temperature (°F) DFN - Departure from Normal P - Precipitation (in.) "-" indicates data not available "M" - missing observation(s)

Louisiana Office of State Climatology
Louisiana State University
lastateclimate@lsu.edu
225-578-6870

Station Summaries by Division: 28 Oct – 03 Nov 2026

Includes NWS Cooperative and CoCoRaHS Stations

Stations	Avg T-Max	Avg T-Min	T-Avg	T-Avg DFN	Highest T-Max	Lowest T-Min	HDD	HDD %Norm	CDD	CDD %Norm	Total P (in.)	P- DFN (in.)	1-Day P-Max	P-Max Date	Rain Days
Northwest Division															
Blanchard	80.4	60.3	70.4	-	86	52	0	-	39	-	M	-	M	M	M
Bossier City 4.0 S	-	-	-	-	-	-	-	-	-	-	0.22	-	0.13	11/1	2
Converse 7.8 NNW	-	-	-	-	-	-	-	-	-	-	0.18	-	0.10	11/3	2
Coushatta 4.3 ENE	-	-	-	-	-	-	-	-	-	-	0.17	-	0.06	11/3	3
Keithville	-	-	-	-	-	-	-	-	-	-	0.86	-0.27	0.69	11/1	3
Logansport	-	-	-	-	-	-	-	-	-	-	0.36	-0.75	0.22	10/31	2
Mooringsport 1 N	76.0	63.2	69.6	+9.1	80	58	M	M	M	M	0.47	-0.52	0.23	11/1	3
Plain Dealing	-	-	-	-	-	-	-	-	-	-	0.28	-0.96	0.14	11/1	3
Red River Res Sta	79.8	58.3	69.1	+7.9	84	52	M	M	M	M	0.19	-0.87	0.10	10/31	2
Shreveport DTN AP	78.6	60.9	69.7	+7.2	84	55	0	0	35	233	2.03	+1.10	1.82	11/3	3
Shreveport SHV AP	78.4	60.9	69.6	+8.0	84	54	0	0	34	243	2.97	+1.96	2.63	11/3	3
Shreveport WFO	80.6	60.6	70.6	+9.9	83	58	0	0	41	410	2.38	+1.14	1.92	11/3	3
SHV Southern Hills	80.0	60.0	70.0	+10.9	85	52	0	0	37	463	0.47	-0.62	0.35	11/1	3
Taylortown	-	-	-	-	-	-	-	-	-	-	0.22	-	0.10	10/31	3
Division	**79.1**	**60.6**	**69.8**	**+8.8**	**86**	**52**	**0**	**0**	**34**	**309**	**0.83**	**-0.26**	**2.63**		**3**
North Central Division															
Arcadia	-	-	-	-	-	-	-	-	-	-	0.05	-0.96	0.05	11/3	1
Bienville 3 NE	81.4	59.7	70.6	+10.4	87	50	0	0	42	382	1.03	0.00	1.03	11/3	1
Calhoun 4.3 SSE	-	-	-	-	-	-	-	-	-	-	0.05	-1.08	0.03	11/1	2
Carlton 1.7 E	-	-	-	-	-	-	-	-	-	-	0.18	-	0.10	11/3	2
Columbia Lock	80.3	60.0	70.1	+9.1	84	52	0	0	37	285	0.42	-0.69	0.29	11/1	2
Homer 1 N	79.7	58.0	68.9	+11.2	85	48	1	2	30	429	0.05	-0.93	0.03	10/31	2
Jamestown	-	-	-	-	-	-	-	-	-	-	0.14	-0.78	0.08	11/1	3
Jonesboro 3.8 ESE	-	-	-	-	-	-	-	-	-	-	0.10	-	0.10	11/1	1
Monroe MLU AP	80.4	59.9	70.1	+9.7	84	48	0	0	38	345	1.42	+0.37	1.17	11/3	2
Monroe 26 N	81.6	58.6	70.1	+12.2	85	46	0	0	38	543	0.00	-1.02	-	-	0
Quitman 2.5 E	-	-	-	-	-	-	-	-	-	-	0.04	-	0.04	11/1	1
Rocky Branch 1.3 W	-	-	-	-	-	-	-	-	-	-	0.01	-	0.01	11/1	1
Ruston 5.4 ENE	-	-	-	-	-	-	-	-	-	-	0.06	-	0.04	11/1	2
Ruston 5.5 NNW	-	-	-	-	-	-	-	-	-	-	0.07	-0.73	0.07	11/3	1
Sikes 1.0 SW	-	-	-	-	-	-	-	-	-	-	0.38	-	0.21	11/2	2
West Monroe	-	-	-	-	-	-	-	-	-	-	0.00	-0.99	-	-	0
Division	**80.7**	**59.2**	**70.0**	**+10.5**	**87**	**46**	**0**	**0**	**37**	**370**	**0.25**	**-0.75**	**1.17**		**1**
Northeast Division															
FSA-Tallulah 1.7 SSE	-	-	-	-	-	-	-	-	-	-	0.71	-	M	M	M
Oak Grove 1.9 E	-	-	-	-	-	-	-	-	-	-	1.60	-	1.06	11/2	2
Pioneer 0.3 WSW	-	-	-	-	-	-	-	-	-	-	1.59	-	1.00	11/2	2
Tallulah TVR AP	81.6	58.9	70.2	+9.6	83	47	0	0	38	317	1.28	+0.41	1.13	11/3	2
Division	**81.6**	**58.9**	**70.2**	**+9.6**	**83**	**47**	**0**	**0**	**38**	**317**	**1.30**	**+0.43**	**1.13**		**2**

T - Temperature (^{0}F) DFN - Departure from Normal P - Precipitation (in.) "-" indicates data not available "M" - missing observation(s)

Louisiana Office of State Climatology
Louisiana State University
lastateclimate@lsu.edu
225-578-6870

Station Summaries by Division: 28 Oct – 03 Nov 2026

Includes NWS Cooperative and CoCoRaHS Stations

Stations	Avg T-Max	Avg T-Min	T-Avg	T-Avg DFN	Highest T-Max	Lowest T-Min	HDD	HDD %Norm	CDD	CDD %Norm	Total P (in.)	P- DFN (in.)	1-Day P-Max	P-Max Date	Rain Days
West Central Division															
Anacoco 3.0 SW	-	-	-	-	-	-	-	-	-	-	0.11	-	0.05	11/3	3
Campti 0.6 SW	-	-	-	-	-	-	-	-	-	-	0.28	-	0.24	11/1	2
Campti 5.7 ENE	-	-	-	-	-	-	-	-	-	-	0.06	-	0.06	11/1	1
Goldonna 1.5 N	-	-	-	-	-	-	-	-	-	-	0.02	-	0.01	11/3	2
Leesville	82.9	61.1	72.0	+10.5	88	47	2	5	52	347	0.14	-1.12	0.05	11/3	4
Leesville 7.1 SSW	-	-	-	-	-	-	-	-	-	-	0.17	-	0.07	10/31	3
Many 9 WSW	-	-	-	-	-	-	-	-	-	-	0.39	-0.71	0.35	11/3	4
Natchitoches #2	82.3	61.6	71.9	+10.7	86	53	0	0	50	417	0.06	-1.03	0.05	11/1	2
Pitkin 6.6 WNW	-	-	-	-	-	-	-	-	-	-	0.35	-	0.35	11/1	1
Pleasant Hill 10.2 SE	-	-	-	-	-	-	-	-	-	-	0.02	-0.70	0.02	10/31	1
Division	**82.6**	**61.4**	**72.0**	**+10.6**	**88**	**47**	**1**	**3**	**51**	**364**	**0.16**	**-0.88**	**0.35**		**2**
Central Division															
Alexandria	81.6	60.4	71.0	+8.9	84	53	0	0	44	293	1.76	+0.59	1.70	11/1	2
Alexandria 5 SSE	82.0	60.7	71.4	+9.0	84	51	0	0	46	288	1.74	+0.70	1.74	11/1	1
Alexandria AEX AP	82.0	61.5	71.8	+9.5	85	51	M	M	M	M	M	M	M	M	M
Alexandria ESF AP	82.4	59.0	70.7	+9.9	86	48	0	0	43	331	1.07	-0.07	0.49	11/3	3
Boyce 3 WNW	M	M	M	M	M	M	M	M	M	M	1.14	-0.11	0.52	11/3	3
Bunkie	82.2	58.8	70.5	+7.7	91	50	M	M	M	M	0.90	-0.27	0.50	11/1	2
Colfax 7.2 NW	-	-	-	-	-	-	-	-	-	-	0.60	-	0.51	11/1	3
FSA-Ferriday 1.0 WSW	-	-	-	-	-	-	-	-	-	-	1.08	-	M	M	M
FSA-Opelousas 1.0 ESE	-	-	-	-	-	-	-	-	-	-	0.19	-	0.19	11/2	1
Grand Coteau 2.7 E	-	-	-	-	-	-	-	-	-	-	0.05	-1.12	0.05	11/2	1
Jonesville Locks	80.4	55.9	68.1	+7.2	82	47	1	3	26	217	1.41	+0.27	1.36	11/2	2
Marksville	-	-	-	-	-	-	-	-	-	-	1.02	-0.18	0.85	11/2	2
Pineville 0.4 NNW	-	-	-	-	-	-	-	-	-	-	2.46	-	2.45	11/1	2
Red River Lock #2	-	-	-	-	-	-	-	-	-	-	1.35	+0.17	1.26	11/1	2
Trout 4.4 WSW	-	-	-	-	-	-	-	-	-	-	0.73	-	0.56	11/1	2
Division	**81.8**	**59.4**	**70.6**	**+8.7**	**91**	**47**	**0**	**0**	**40**	**286**	**1.11**	**-0.05**	**2.45**		**2**
East Central Division															
Baker	-	-	-	-	-	-	-	-	-	-	0.00	-1.04	-	-	0
Baton Rouge Metro AP	83.6	62.7	73.1	+9.2	88	53	0	0	58	290	0.00	-1.00	-	-	0
Baton Rouge 3.5 E	-	-	-	-	-	-	-	-	-	-	0.00	-	-	-	0
Central 2.2 SE	-	-	-	-	-	-	-	-	-	-	0.00	-0.93	-	-	0
Denham Springs 6.8 N	-	-	-	-	-	-	-	-	-	-	0.00	-1.27	-	-	0

T - Temperature (^{0}F) DFN - Departure from Normal P - Precipitation (in.) "-" indicates data not available "M" - missing observation(s)

Louisiana Office of State Climatology
Louisiana State University
lastateclimate@lsu.edu
225-578-6870

Station Summaries by Division: 28 Oct – 03 Nov 2026

Includes NWS Cooperative and CoCoRaHS Stations

Stations	Avg T-Max	Avg T-Min	T-Avg	T-Avg DFN	Highest T-Max	Lowest T-Min	HDD	HDD %Norm	CDD	CDD %Norm	Total P (in.)	P- DFN (in.)	1-Day P-Max	P-Max Date	Rain Days
East Central Division (cont.)															
FSA-Amite City 0.8 SW	-	-	-	-	-	-	-	-	-	-	0.91	-	M	M	M
FSA-Franklntn 0.6 WSW	-	-	-	-	-	-	-	-	-	-	0.63	-	M	M	M
Jackson 3.6 NNE	-	-	-	-	-	-	-	-	-	-	0.01	-	0.01	11/1	1
Lacombe 1.4 N	-	-	-	-	-	-	-	-	-	-	0.00	-1.08	-	-	0
Livingston	-	-	-	-	-	-	-	-	-	-	0.54	-0.52	0.54	11/1	1
LSU Campus	-	-	-	-	-	-	-	-	-	-	0.00	-1.09	-	-	0
New Roads 5 NE	82.7	63.6	73.1	+8.3	86	55	0	0	58	264	0.03	-0.88	0.03	11/3	1
Ponchatoula 5.3 W	-	-	-	-	-	-	-	-	-	-	0.02	-	0.02	11/1	1
Port Allen	-	-	-	-	-	-	-	-	-	-	0.00	-0.98	-	-	0
Slidell	M	M	M	M	M	M	M	M	M	M	0.00	-0.97	-	-	0
Slidell ASD AP	78.9	59.7	69.3	+6.0	81	48	0	0	31	182	0.14	-0.72	0.12	11/3	2
Slidell 4.4 E	-	-	-	-	-	-	-	-	-	-	0.00	-1.07	-	-	0
St. Francisville 1 NE	83.6	58.1	70.9	+8.1	87	49	0	0	43	391	0.00	-	-	-	0
Talisheek	-	-	-	-	-	-	-	-	-	-	0.00	-0.89	-	-	0
Wakefield 0.2 E	-	-	-	-	-	-	-	-	-	-	0.00	-	-	-	0
Division	**82.2**	**61.0**	**71.6**	**+7.9**	**88**	**48**	**0**	**0**	**48**	**267**	**0.11**	**-0.90**	**0.54**		**0**
Southwest Division															
Abbeville	-	-	-	-	-	-	-	-	-	-	0.39	-0.76	0.23	11/2	2
Branch 0.4 SSW	-	-	-	-	-	-	-	-	-	-	0.30	-	0.17	11/2	3
Church Point 0.7 WSW	-	-	-	-	-	-	-	-	-	-	0.70	-	0.26	11/3	3
Crowley 2 NE	-	-	-	-	-	-	-	-	-	-	0.50	-0.64	0.35	11/2	3
FSA-De Ridder 0.9 E	-	-	-	-	-	-	-	-	-	-	0.19	-	M	M	M
Jennings	81.3	64.0	72.6	+8.2	83	58	0	0	55	262	1.64	+0.53	1.53	11/1	3
Kaplan	-	-	-	-	-	-	-	-	-	-	2.25	+1.26	2.02	11/2	3
Lake Arthur 7 SW	79.6	66.3	72.9	+7.4	82	59	0	0	57	248	1.27	+0.05	1.12	11/1	4
Lake Charles 2 N	-	-	-	-	-	-	-	-	-	-	1.30	+0.27	1.22	11/1	4
Lake Charles LCH AP	84.2	64.7	74.4	+8.5	85	57	M	M	M	M	M	M	M	M	M
Lake Charles 4.8 SSE	-	-	-	-	-	-	-	-	-	-	1.31	-	1.24	11/1	4
Leland Bowman Lock	79.7	65.1	72.4	+8.7	81	62	0	0	55	306	0.53	-0.51	0.50	10/31	2
Moss Bluff 2 NNW	82.3	64.0	73.1	+9.8	84	53	0	0	59	347	1.15	+0.02	0.85	10/31	3
Oberlin Fire Tower	82.2	64.2	73.2	+10.6	83	56	M	M	M	M	0.50	-0.59	0.50	11/1	1
Ragley 5.0 SE	-	-	-	-	-	-	-	-	-	-	1.79	+0.34	1.77	11/1	2
Rayne 1.0 W	-	-	-	-	-	-	-	-	-	-	0.04	-	0.02	10/31	3
Sulphur 2.2 E	-	-	-	-	-	-	-	-	-	-	0.64	-0.55	0.62	11/1	2
Division	**81.6**	**64.7**	**73.1**	**+8.9**	**85**	**53**	**0**	**0**	**57**	**285**	**0.91**	**-0.23**	**2.02**		**3**

T - Temperature (^{0}F) DFN - Departure from Normal P - Precipitation (in.) "-" indicates data not available "M" - missing observation(s)

Find past newsletters on the ***LOSC*** website: ***https://lsu.edu/state-climate-office/***

Louisiana Office of State Climatology
Louisiana State University
lastateclimate@lsu.edu
225-578-6870

Station Summaries by Division: 28 Oct – 03 Nov 2026

Includes NWS Cooperative and CoCoRaHS Stations

South Central Division															
Stations	**Avg T-Max**	**Avg T-Min**	**T-Avg**	**T-Avg DFN**	**Highest T-Max**	**Lowest T-Min**	**HDD**	**HDD %Norm**	**CDD**	**CDD %Norm**	**Total P (in.)**	**P- DFN (in.)**	**1-Day P-Max**	**P-Max Date**	**Rain Days**
Baldwin 1.8 N	-	-	-	-	-	-	-	-	-	-	0.11	-	0.08	11/2	2
Bayou Sorrel Lock	-	-	-	-	-	-	-	-	-	-	0.50	-0.49	0.50	11/3	1
Breaux Bridge 0.7 NNW	-	-	-	-	-	-	-	-	-	-	0.24	-	0.12	11/1	3
Carville 2 SW	80.0	65.3	72.6	+7.9	83	56	0	0	55	262	0.29	-0.78	0.20	10/31	2
Donaldsonville 4 SW	81.0	60.7	70.9	+6.7	84	50	0	0	43	205	0.57	-0.45	0.57	11/1	1
Jeanerette 5 NW	80.6	60.3	70.4	+6.6	82	54	0	0	40	200	0.86	-0.18	0.45	11/1	4
Lafayette LFT AP	81.7	63.8	72.8	+7.4	84	55	M	M	M	M	M	M	M	M	M
Lafayette 2.9 ENE	-	-	-	-	-	-	-	-	-	-	0.10	-	0.06	10/31	2
New Iberia ARA AP	82.3	62.7	72.5	+7.2	84	52	M	M	M	M	M	M	M	M	M
St. Gabriel 2.8 NNW	-	-	-	-	-	-	-	-	-	-	0.04	-	0.04	11/1	1
St. Martinville 0.2 S	-	-	-	-	-	-	-	-	-	-	0.89	-0.67	0.73	11/2	4
Division	**81.1**	**62.6**	**71.8**	**+7.2**	**84**	**50**	**0**	**0**	**46**	**219**	**0.40**	**-0.74**	**0.73**		**2**
Southeast Division															
Belle Chasse 1.6 NNE	-	-	-	-	-	-	-	-	-	-	0.24	-	0.18	11/1	2
Dutchtown #2	-	-	-	-	-	-	-	-	-	-	0.00	-1.16	-	-	0
Gonzales	-	-	-	-	-	-	-	-	-	-	0.00	-1.10	-	-	0
Houma 4.1 NNE	-	-	-	-	-	-	-	-	-	-	0.57	-	0.28	11/2	3
NO-Armstrong AP	79.9	67.0	73.4	+6.4	83	59	0	0	60	200	1.17	+0.28	1.14	10/31	2
NO-Lakefront AP	77.6	69.1	73.4	+5.7	80	66	0	0	60	188	1.70	+0.89	1.68	10/31	2
New Orleans 2.8 E	-	-	-	-	-	-	-	-	-	-	0.49	-	0.49	11/1	1
Metairie 2.8 ENE	-	-	-	-	-	-	-	-	-	-	4.58	-	4.57	11/1	2
Raceland 2.1 WSW	-	-	-	-	-	-	-	-	-	-	1.48	-	1.23	11/1	3
River Ridge 0.7 N	-	-	-	-	-	-	-	-	-	-	1.64	-	1.64	11/1	1
St. Amant 3.3 N	-	-	-	-	-	-	-	-	-	-	0.00	-	-	-	0
St. Rose 0.3 W	-	-	-	-	-	-	-	-	-	-	2.39	-	2.39	11/1	1
Thibodaux 4 SE	80.0	62.0	71.0	+4.7	81	52	0	0	44	157	0.32	-0.67	0.16	11/1	3
Westwego 2.4 ENE	-	-	-	-	-	-	-	-	-	-	1.11	-	1.10	10/31	2
Division	**79.2**	**66.0**	**72.6**	**+5.6**	**83**	**52**	**0**	**0**	**55**	**183**	**1.12**	**+0.13**	**4.57**		**2**

- Temperature (^{0}F) DFN - Departure from Normal P - Precipitation (in.) "-" indicates data not available "M" - missing observation(s)

Find past newsletters on the ***LOSC*** website: ***https://lsu.edu/state-climate-office/***

Precipitation and temperature data are primarily retrieved through the ACIS QueryBuilder (rcc-acis.org) and the cli-MATE platform (MRCC Application Tools Environment), both of which are maintained by the NOAA Regional Climate Centers (RCCs).

Drought data are sourced from the U.S. Drought Monitor (unl.edu), the LSU AgCenter, and the Louisiana Dept. of Agriculture & Forestry.

Louisiana Office of State Climatology
Louisiana State University
lastateclimate@lsu.edu
225-578-6870